

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3694	(transaction near2 identif\$8) and server and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/12 09:46
S2	1488	((transaction near2 identif\$8) and server and application) and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/12 09:47
S3	79	(transaction near2 identif\$8) with server with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/12 09:47
S4	23	(transaction adj identif\$8) with server with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/12 10:16
S5	11	((transaction adj identif\$8) with server with application) and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:06
S6	655	(transaction adj identif\$8).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/12 10:16
S7	71	(server and (transaction adj identif\$8)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/12 10:16
S8	8	("4412285"   "4881166"   "5021949"   "5241675"   "5247664"   "5504900"   "5675798"   "5680610").PN.	USPAT	OR	ON	2004/10/12 10:25
S9	1	"6275843".URPN.	USPAT	OR	ON	2004/10/12 10:25
S10	1	"6275843".URPN.	USPAT	OR	ON	2004/10/12 10:25
S11	1	"6275843".URPN.	USPAT	OR	ON	2004/10/12 10:25
S12	21	("5241675"   "5291594"   "5561797"   "5734896"   "5799305"   "5852732"   "5884327"   "5890161"   "5924095"   "5953719"   "6070165"   "6151602"   "6157927"   "6275843"   "6029177"   "6418455"   "6493726"   "6557082"   "6631374"   "6636851"   "6651073"   "2001/0056428").PN.	USPAT	OR	ON	2004/10/12 10:25

S13	36	((server and (transaction adj identif\$8)).ab.) and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:36
S14	1	((((server and (transaction adj identif\$8)).ab.) and @ad <= "20001121") and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 13:52
S15	1	((((server and (transaction adj identif\$8)).ab.) and @ad <= "20001121") and redirect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 13:52
S16	17072	timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:29
S17	11	(US-20020013846-\$).did. or (US-5675798-\$ or US-5680610-\$ or US-5920863-\$ or US-6275843-\$ or US-6442552-\$ or US-6442592-\$ or US-6785722-\$).did. or (US-5897634-\$ or US-6275843-\$ or US-6496825-\$). did.	US-PGPUB; USPAT; DERWENT	OR	ON	2004/11/10 12:10
S18	41838	S16 ans S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:10
S19	3	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:11
S20	5	("6085198"   "6134594"   "6226637"   "6266666"   "6285997").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/10 13:10
S21	8	("4412285"   "4881166"   "5021949"   "5241675"   "5247664"   "5504900"   "5675798"   "5680610").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/10 13:11
S23	2	timeout and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:30

S24	0	(timeout and osi).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:30
S25	0	(timeout and (osi or (open adj systems adj interconnection))).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:31
S26	2	(timeout with (osi or (open adj systems adj interconnection)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:00
S27	100	(timeout and server).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:00
S29	12	(US-20020013846-\$).did. or (US-5675798-\$ or US-5680610-\$ or US-5920863-\$ or US-6275843-\$ or US-6442552-\$ or US-6442592-\$ or US-6785722-\$ or US-5504900-\$).did. or (US-5897634-\$ or US-6275843-\$ or US-6496825-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2004/11/10 15:01
S30	0	S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:01
S31	100	(timeout and server).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:18
S32	8	("4412285"   "4881166"   "5021949"   "5241675"   "5247664"   "5504900"   "5675798"   "5680610").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/10 15:17
S34	50	S31 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:36
S37	50	(timeout and server).ab. and @ad <= "20001121".	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:25

S38	50	(timeout and server).ab. and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:27
S39	8	(timeout and server).ab. and transaction and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:26
S40	0	(timeout and server).ab. and (close with connection with timeout) and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:27
S41	0	(timeout and server).ab. and (close with timeout) and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:27
S42	16	(timeout and server).ab. and (connection with timeout) and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:32
S43	10	(timeout and client).ab. and (connection with timeout) and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:29
S44	163	(redirect and server).ab. and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:32
S45	32070	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:32
S47	30	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:32
S53	8	("6006258"   "6058431"   "6128664"   "6266707"   "6324582"   "6418476"   "6493765"   "6529517").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/10 15:36
S54	640	redirect adj request	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/15 15:51

S55	215	S54 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:44
S56	91	(redirect adj request) with client	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/10 15:44
S57	31	S56 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:37
S59	23	(redirect adj request).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/10 15:43
S60	7	S59 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:43
S61	16	(redirect adj request) with client with receiv\$4	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/10 15:44
S62	7	S61 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:44
S63	164	tcp near3 timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 17:54
S64	51	S63 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 17:54
S65	38744	multiplex.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:06
S66	32070	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 19:06

S68	1232	(connection with multiplex).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:07
S69	1	S66 and S68 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:07
S70	800	(connection and network and multiplex).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:08
S71	4	S66 and S70 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:09
S72	1037	(transaction and (multiplex or combin\$3)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:11
S73	693	S72 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:11
S74	12	S66 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:10
S75	191	(transaction near4 (multiplex or combin\$3)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:12
S76	145	S75 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:13
S77	1	S76 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:11

S78	550	((transaction or request) near3 (multiplex or combin\$3)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:13
S79	52154	((("707") or ("709"))).CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 19:13
S80	8	S78 and S79 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:13
S81	205	(session adj manager).ab. and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 17:57
S82	4	(session adj manager).ab. and network and redirect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 17:58
S83	18	(transparent and client and redirect).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 18:00
S84	23	(transparent\$3 and client and redirect).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 18:03
S85	2	("5941954").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 18:03
S86	13	("5253288"   "5390316"   "5522071").PN. OR ("5941954").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 18:04
S87	249	(application adj interface).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 18:04
S88	13	(application adj interface).ab. and network and redirect	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 18:05

S89	32	(application adj interface).ab. and network and prox\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 18:07
S90	71	(session and layer and (prox\$3 or server)).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 18:09
S91	6	(session and layer and (prox\$3 or server)).ab. and (middleware or (middle adj ware))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 18:09
S92	10	("5708780"   "5732218"   "5864665"   "5870546"   "6055508"   "6092196"   "6112238"   "6298123"   "6304904"   "6317787").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 18:39
S93	0	("6574627").URPN.	USPAT	OR	ON	2005/05/13 18:39
S94	1506	(network with session with manag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:47
S95	633	S94 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:51
S96	250	(network with session with manag\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:47
S97	107	S96 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:01
S98	820	redirect near1 request	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/15 15:51
S99	261	S98 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:52
S100	4738	(middle adj ware) or middleware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:00



S10 1	153	S99 and "0"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:52
S10 2	14	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 15:52
S10 3	771	((middle adj ware) or middleware).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:14
S10 4	59	((middle adj ware) or middleware).ab. and session and manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:00
S10 5	17	S104 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:14
S10 6	0	S104 and @ad <= "20001121" and redirect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:02
S10 7	5	(redirect\$3 and ((middle adj ware) or middleware)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:14
S10 8	0	S107 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/15 16:14
S10 9	6	(("5774660") or ("6098108") or ("6182139")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:40
S11 0	330	("5774660").URPN.	USPAT	OR	ON	2005/05/18 13:31

S11 1	17	("5307347"   "5341499"   "5343477"   "5355453"   "5355472"   "5400335"   "5404534"   "5426427"   "5442749"   "5442771"   "5452447"   "5455932"   "5455948"   "5495426"   "5539883"   "5603029"   "5612897").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:30
S11 2	347	("5307347"   "5341499"   "5343477"   "5355453"   "5355472"   "5400335"   "5404534"   "5426427"   "5442749"   "5442771"   "5452447"   "5455932"   "5455948"   "5495426"   "5539883"   "5603029"   "5612897").PN. OR ("5774660").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:31
S11 3	85	S110 and (timeout or (time adj out))	USPAT	OR	ON	2005/05/18 13:31
S11 4	2	S110 and (timeout or (time adj out)). ab.	USPAT	OR	ON	2005/05/18 13:32
S11 5	31	S110 and (timeout or (time adj out)) and redirect\$4 and @ad <= "20001121"	USPAT	OR	ON	2005/05/18 14:36
S11 6	145463	socket	USPAT	OR	ON	2005/05/18 14:36
S11 7	3117	socket near4 switch\$4	USPAT	OR	ON	2005/05/18 14:36
S11 8	304	(socket near4 switch\$4).ab.	USPAT	OR	ON	2005/05/18 14:37
S11 9	276	S118 and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:37
S12 0	0	S118 and @ad <= "20001121" and redirect and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:37
S12 1	1	S118 and @ad <= "20001121" and redirect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:37
S12 2	1	S118 and @ad <= "20001121" and redirect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:37
S12 3	12	(socket and redirect).ab.	USPAT	OR	ON	2005/05/18 14:37
S12 4	21	(socket and redirect\$4).ab.	USPAT	OR	ON	2005/05/18 14:37

S12 5	6	(resource and bind\$3).ab. and socket and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:11
S12 6	0	timeout and redirect\$4 and (layer-4 and switch\$4).ab. and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:12
S12 7	7	timeout and redirect\$4 and (socket). ab. and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:40
S12 8	23	(timeout and disconnect\$4).ab. and @ad <= "20001121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:40
S12 9	11	(timeout and disconnect\$4).ab. and @ad <= "20001121" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:40
S13 0	0	(timeout and disconnect\$4).ab. and @ad <= "20001121" and network and socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:40
S13 1	2333	socket and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:52
S13 2	107	socket.ab. and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:52
S13 3	5	socket.ab. and timeout.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:52